



LIGHTING

It's the name that shines!

PRODUCT CATALOGUE 2024



ESTABLISHED SINCE 1962
www.gmtlighting.com.au

ABOUT US

GMT Lighting was established in 1962 in the Melbourne suburb of Hawthorn. 2024 marks 62 years in business. It stands as one of the largest lighting stockist for all kinds of globes, lamps, bulbs, LED lights and fluorescent tubes.

GMT Lighting has strong beliefs in integrity, honesty and family values. These values are reflected through our dealings with our customers by providing the best possible service, excellent quality and competitive prices.

Product Range

GMT Lighting is a major distributor of top brands such as Philips, GE, Osram, Deluxlite, Orbitec, and many more. Our large range enables us to serve many different industries including the commercial, theatrical, industrial, domestic, medical, audio visual and other specialist industries.

Our Service

Our staff at GMT Lighting are experienced and knowledgable. With the support of our world class suppliers, we aim to provide the best in technical advice and support to all our clients.

Our Clients

GMT Lighting’s clients include government departments, hospitals, city councils, schools, clubs, real estate agents, electrical maintenance businesses, and also some of the largest casinos and entertainemnt venues in Australia.



CONTENT

LED STRIP LIGHTS 4

- High Voltage LED Strip Lights
- LED Neon Strip Lights
- Cob Strip Lights

TUBES 20

- Blacklight
- Coloured Tubes
- Germicidal
- Circular Fluorescent
- Compact Fluorescent

GLOBES 94

- Oven Lamps
- Signal Lights
- Candle Lights
- MR16
- Other Globes

PL LAMPS 155

- Fluorescent PL-L
- Fluorescent PLC
- Fluorescent PL-T
- Fluorescent PL-S
- Other PL

SPECIALISED 179

- Medical Lamps
- Heat Lamps
- Metal Halide
- Other Specialised

OTHER 204

- LED Corn Lights
- LED High Bay
- Outdoor Lights
- Linear Halogen
- LED Downlights
- LED Architectural & Batten
- Rangehood
- Panel



DOWNLIGHTS



MR 16



NEON STRIP LIGHT



ARCHITECTURAL
LAMP



G9



COB STRIP LIGHT




LED PANELS




LINEAR BATTEN

CATEGORY OVERVIEW

LED STRIP LIGHT



RGB LED Strip Light



COB LED Strip Light



COB LED Strip Light



LED Neon




High Voltage



LED STRIP LIGHT

Parameters

LUMINAIRE PARAMETERS	
Energy Saving:	Yes
Wattage:	14W/m
Voltage:	DC 12V AC
Colour Temperature:	RGB Colour-Changing
IP Rating:	IP20
Finish:	Clear
Beam Angle:	140°
Dimmable:	No
Dimensions:	5000 x 31.25 x 10mm
Max Running Length:	5 Meters



Applications

- o Residential spaces; dining room, bedroom, kitchen
- o Retail spaces; shop window, shelving, supermarket, grocer, mall, salesroom



LNTSOCBCW480HOD12

Parameters

LUMINAIRE PARAMETERS	
Energy Saving:	Yes
Wattage:	11W/m
Voltage:	DC 12V AC
Colour Temperature:	4000K, Cool White
IP Rating:	IP20
Finish:	Clear
Beam Angle:	140°
Dimmable:	No
Dimensions:	5000 x 25 x 8mm
Max Running Length:	5 Meters
Lumens:	1200 Lm/M



Applications


- o Residential spaces; dining room, bedroom, kitchen
- o Retail spaces; shop window, shelving, supermarket, grocer, mall, salesroom



LNTSOCBCW528HOD12

Parameters

LUMINAIRE PARAMETERS	
Energy Saving:	Yes
Wattage:	14W/m
Voltage:	DC 12V AC
Colour Temperature:	4000K, Cool White
IP Rating:	IP20
Finish:	Clear
Beam Angle:	140°
Dimmable:	No
Dimensions:	5000 x 45.45 x 10mm
Max Running Length:	5 Meters
Lumens:	1550 Lm/M



Applications

- o Residential spaces; dining room, bedroom, kitchen
- o Retail spaces; shop window, shelving, supermarket, grocer, mall, salesroom



Parameters

LUMINAIRE PARAMETERS	
Size	24V:50mm
Voltage	24V
Power	14.4W
Luminance @3000K	1540 LM/M
CCT	2700k - 3000k - 4000k - 6500k
CRI	90
LED Qty/meter	140
PCB Width(mm)	5mm
Luminous Efficiency	106 Lm/W

Color Parameters:

Chromaticity Coordinate: x=0.3169 y=0.3188 /

u'=0.2047 v'=0.4634

CCT=6344K(Duv=-0.0043)

Dominant WL: Ld =479.1nm

Purity=6.9%

Ratio: R=14.8% G=79.2% B=5.9%

Peak WL:Lp=453.1nm FWHM=22.3nm

Render Index: Ra=87.1 CRI=81.6 AvgR=81.9

R1=88 R2=92 R3=92 R4=87 R5=87 R6=85


R7=89 R8=76 R9=33 R10=79 R11=86

R12=61 R13=90 R14=96 R15=86


Photo Parameters:

Flux = 164.6lm Eff. : 129.38lm/W Fe = 552.4W

• SPECTRUM TEST REPORT



2700 K 3000 K 4000 K 6000 K



Parameters

LUMINAIRE PARAMETERS	
Size	24V:50mm
Voltage	24V
Power	24W
Luminance @3000K	2784 LM/M
CCT	2700k - 3000k - 4000k - 6500k
CRI	90
LED Qty/meter	120
PCB Width(mm)	15mm
Luminous Efficiency	116 Lm/W

Color Parameters:

Chromaticity Coordinate: x=0.3089 y=0.3118 /

u'=0.2017 v'=0.4582

CCT=6903K(Duv=-0.0039)

Dominant WL: Ld =479.1nm

Purity=10.3%

Ratio: R=14.1% G=79.8% B=6.1%

Peak WL: Lp=453.0nm FWHM=22.3nm

Render Index: Ra=85.8 CRI=79.6 AvgR=80.0

R1=86 R2=91 R3=90 R4=85 R5=85 R6=83


R7=89 R8=76 R9=29 R10=76 R11=84

R12=56 R13=89 R14=95 R15=85

Photo Parameters:

Flux = 3909lm Eff. : 116.33lm/W Fe = 13.22W

• SPECTRUM TEST REPORT



2700 K 3000 K 4000 K 6500 K






HL-R80W2835/10

Parameters

LUMINAIRE PARAMETERS		
Size	24V:100mm	
Voltage	24V	
Power	12W	
Luminance @3000K	1920 LM/M	2160LM/M
CCT	2700k - 3000k - 4000k - 6500k	
CRI	80	
LED Qty/meter	80	
PCB Width(mm)	10mm	
Luminous Efficiency	160 Lm/W	180 Lm/W

• SPECTRUM TEST REPORT



Color Parameters:

Chromaticity Coordinate: $x=0.4407$ $y=0.4000/$
 $u'=0.2548$ $v'=0.5203$
CCT=2905K(Duv=-0.0021)
Dominant WL: $\lambda_d=584.0nm$
Purity=52.3%
Ratio: R=23.8% G=73.4% B=2.8%
Peak WL: $\lambda_p=604.1nm$ FWHM=114.7nm
Render Index: Ra=82.2 CRI=77.4 AvgR=77.2
R1=82 R2=94 R3=93 R4=79 R5=82 R6=92
R7=80 R8=56 R9=6 R10=85 R11=78
R12=75 R13=85 R14=97 R15=74
Photo Parameters:
Flux = 1762lm Eff. : 206.74lm/W Fe = 5.391W




HL-R160W2835/12

Parameters

LUMINAIRE PARAMETERS		
Size	24V:50mm	
Voltage	24V	
Power	21W	
Luminance @3000K	3360 LM/M	3780LM/M
CCT	2700k - 3000k - 4000k - 6500k	
CRI	80	
LED Qty/meter	160	
PCB Width(mm)	12mm	
Luminous Efficiency	160 Lm/W	180 Lm/W


• SPECTRUM TEST REPORT



Color Parameters:

Chromaticity Coordinate: $x=0.4407$ $y=0.4000/$
 $u'=0.2548$ $v'=0.5203$
CCT=2905K(Duv=-0.0021)
Dominant WL: $\lambda_d=584.0nm$
Purity=52.3%
Ratio: R=23.8% G=73.4% B=2.8%
Peak WL: $\lambda_p=604.1nm$ FWHM=114.7nm
Render Index: Ra=82.2 CRI=77.4 AvgR=77.2
R1=82 R2=94 R3=93 R4=79 R5=82 R6=92
R7=80 R8=56 R9=6 R10=85 R11=78
R12=75 R13=85 R14=97 R15=74
Photo Parameters:
Flux = 1762lm Eff. : 206.74lm/W Fe = 5.391W





HL-R20Q480/XW/8

Parameters

LUMINAIRE PARAMETERS	
Size	12V:25mm/24V:50mm
Voltage	12V/24V
Power	5W / 10W / 15W
Luminance @3000K	519 LM/M / 1029 LM/M / 1527LM/M
CCT	2700k - 3000k - 4000k - 6500k
CRI	90
LED Qty/meter	480
PCB Width(mm)	8mm
Luminous Efficiency	103.8LM/W / 102.9LM/W / 101.8LM/M

Color Parameters:

Chromaticity Coordinate: x=0.3709 y=0.3487/

u'=0.2303 v'=0.4871

CCT=4062K(Duv=-0.0109)

Dominant WL: Ld=589.0nm

Purity=15.9%

Ratio: R=22.0% G=73.3% B=4.7%

Peak WL: Lp=454.4nm FWHM=22.3nm

Peak WL: Ra=94.0 CRI=92.0 AvgR=92.0

R1=91 R2=94 R3=97 R4=96 R5=93 R6=90


R7=95 R8=97 R9=93 R10=92 R11=92

R12=72 R13=91 R14=97 R15=91


Photo Parameters:

Flux = 436.0lm Eff. : 119.20lm/W Fe = 1.495W

• SPECTRUM TEST REPORT



2700 K 3000 K 4000 K 6500 K



HL-2835W-120-120V/230V

parameters

Model : HL-2835-120D	Power : 6W
LED type : 2835	Luminous flux : 580LM/M
CCT : White light	Cutting unit : 1M/cut
LED NO. : 120 LED	Input Voltage : 110V/230V
PCB width : 6MM	Waterproof Rating : IP44/IP65
Dimension : 6*10MM	Length: 100M/roll

Features

1. Plug and play without adapter, directly connecting to 120V/230V for charging
2. It can be bent flexibly and the installation of corners and curved surfaces is not limited
3. It adopts two-shot injection molding process with strong, reliable, consistent features



HL-2835W-180-120V/230V

Parameters

Model : HL-2835-180D	Power : 10W
LED type : 2835	Luminous flux : 850LM/M
CCT : White light	Cutting unit : 1M/cut
LED NO. : 180 LED	Input Voltage : 110V/230V
PCB width : 12MM	CRI : 80
Dimension : 7*17MM	Waterproof Rating : IP44/IP65

Features

- 1. Plug and play without adapter, directly connecting to 120V/230V for charging
- 2. It can be bent flexibly and the installation of corners and curved surfaces is not limited
- 3. It adopts two-shot injection molding process with strong, reliable, consistent features
- 4.LED Strip Light reel is portable with efficient and convenient storage and can be recycled frequently in construction site lighting.




HL-2835W-60-120V/230V

parameters

Model : HL-2835-60D	Power : 4.5W
LED type : 2835	Luminous flux : 230LM/M
CCT : White light	Cutting unit : 1M/cut
LED NO. : 60 LED	Input Voltage : 110V/230V
PCB width : 6MM	Waterproof Rating : IP44/IP65
Dimension : 6*10MM	Length: 100M/roll

Features


- 1. Plug and play without adapter, directly connecting to 120V/230V for charging
- 2. It can be bent flexibly and the installation of corners and curved surfaces is not limited
- 3. It adopts two-shot injection molding process with strong, reliable, consistent features



HL-N0606V24-CXX

Parameters


LUMINAIRE PARAMETERS	
Size	W6*H6mm
Voltage	DC24V
Power	5w/m
Efficiency@3200K	58lm/W
CCT	1700K-6000K
CRI	>90
IP rate	IP67
Certification	CE, ROHS
Working temperature	-25℃~+60℃
Warranty	3 years



Features

- Silicone led neon light TOP 0606 IP67, DC24V, is emittingting direction vertically and front cable entry with radius of 25mm and a cross section size: 6mm*6mm/(W*H).
- It is IP67 protection, never yellow, UV resistant, salt water resistant and high temperature resistant via opal silicone coating.
- Uniform luminance and dot free will bring the most excellent performance for indoor & outdoor application.
- The product has constant voltage and constant current version.
- Can connect 5 meters in series with one power supply without voltage drop, and can save the installation cost better.

• DIMENSION STRUCTURE




• ACCESSORIES OPTIONS



HL-N1010V24-CXX

Parameters


LUMINAIRE PARAMETERS	
Size	W10*H10mm
Voltage	DC24V
Power	5w/m 10w/m
Efficiency@3000K	80.3lm/W 78.6lm/W
CCT	2100K-6000K/R/G/B/Y/P
CRI	>90
IP rate	IP67
Certification	CE, ROHS
Working temperature	-25℃~+60℃
Warranty	3 years




Features

- High light transmittance, environmental protection grade silicone material, integrated extrusion molding process.
- Unique optical light distribution structure design, uniform lighting surface and no shadow.
- IP67 protection level, salt solution resistance, acids & alkalis, corrosive gases, fire and UV resistance.
- Excellent toughness, simple and stylish appearance, delicate and unique.
- 3 years warranty, working life ≥ 30000 hours.

• DIMENSION STRUCTURE



ACCESSORIES




Clips
Adapting to high voltage strip light,
single color neon led strip light,RGB



End-cap
Adapting to high voltage strip light,
single color neon led strip light,RGB



1500 Power Cord
Adapting to high voltage strip light, single
color neon led strip light with aluminum cover



Flicker-free Power Supply
Adapting to high voltage strip light,
single color neon led strip light



Male & Female Connector wire
Adapting to high voltage strip light,
led strip light



CATEGORY OVERVIEW

TUBES



T8 Blacklight Blue



T8 Actinic Blacklight



T5 Blacklight Blue



T8 Fluoro Red



T8 Fluoro Yellow



T8 Fluoro Pink



T5 Blacklight



PLC Blacklight



T9 Blacklight



T5 Fluoro Red



T5 Fluoro Yellow



T8 Germicidal



T8 LED Blue



T8 LED Green



T8 Fluoro Blue



T5 Mini Germicidal



T5 Germicidal



Gro-Lux T8 Fluoro



It's the name that shines!

CATEGORY OVERVIEW

TUBES



T5 Fluoro



T8 Fluoro



T8 Meat Tube



T12 Fluoro



Circular Fluoro



Compact Fluoro




T8 Blacklight Blue

Tube Base G13 (36W)

Blacklight Blue T8 Fluorescent 36W G13 1200mm 10070



Not Dimmable



PRODUCT DATA

SKU	M36BLB
Brand	GMT*
Wattage	36W
Base	G13
Bulb Type	T8 Blacklight Blue
Finish	Black
Special Light Colour	Blacklight Blue

Applications:

- ✓ Entertainment; concert, dynamic, event, club, bar, stadium, amusement park, gaming, casino
- ✓ Special effects; shop window, club, bar, fairground attraction

*any available brand

TUBES


T8 Blacklight Blue

Tube Base G13 (15W)

Blacklight Blue Fluorescent Tube T8 15W G13 450mm



Not Dimmable



PRODUCT DATA

SKU	8046
Brand	GMT*
Wattage	15W
Voltage	54V
Base	G13
Bulb Type	T8 Blacklight Blue
Finish	Black
Special Light Colour	Blacklight Blue

Applications:

- ✓ Entertainment; concert, dynamic, event, club, bar, stadium, amusement park, gaming, casino
- ✓ Special effects; shop window, club, bar, fairground attraction

*any available brand

T8 Blacklight

Tube Base G13 (18W)


Special Actinic BL Blacklight TL-D 18W G13 600mm



Not Dimmable



PHILIPS



PRODUCT DATA

SKU	260923
Brand	PHILIPS
Wattage	18W
Voltage	59V
Base	G13
Bulb Type	T8 Blacklight
Finish	Opal
Special Light Colour	Blacklight/Actinic Blue

Applications:

- ✓ Specialised; bug zapper, insect, curing, photochemical


T8 Blacklight

Tube Base G13 (10W)

Blacklight T8 Tube 10W G13 340mm



Not Dimmable



PRODUCT DATA

SKU	T810BL
Brand	GMT*
Wattage	10W
Base	G13
Bulb Type	T8 Blacklight
Finish	Opal
Special Light Colour	Blacklight / Actinic Blue

Applications:

√ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T8 Blacklight

Tube Base G13 (36W)

Blacklight Fluorescent Lamp T8 36W G13 1210mm



Not Dimmable



PRODUCT DATA

SKU	8080
Brand	GMT*
Wattage	36W
Base	G13
Bulb Type	T8 Blacklight
Finish	Opal
Special Light Colour	Blacklight/Actinic Blue

Applications:

√ Specialised; bug zapper, insect, curing, photochemical

*any available brand

T8 Blacklight

Tube Base G13 (15W)


**Actinic BL TL-D 15W/10 G13
450mm**



Not Dimmable



PHILIPS



PRODUCT DATA

SKU	15BLT8
Brand	PHILIPS
Wattage	15W
Voltage	55V
Base	G13
Bulb Type	T8 Blacklight
Finish	Opal
Special Light Colour	Blacklight/Actinic Blue

Applications:

√ Specialised; bug zapper, insect, curing, photochemical

T8 Blacklight

Tube Base G13 (15W)


**Actinic Special Secura Shatterproof
Blacklight TL-D T8 15W G13 450mm**



Not Dimmable



PHILIPS



PRODUCT DATA

SKU	701029
Brand	PHILIPS
Wattage	15W
Voltage	55V
Base	G13
Bulb Type	T8 Blacklight
Finish	Opal
Special Light Colour	Blacklight/Actinic Blue

Applications:

√ Specialised; bug zapper, insect, curing, photochemical, printing

T8 Blacklight

Tube Base G13 (18W)


**Actinic Special Secura Shatterproof
Blacklight TL-D T8 18W G13 600mm**



Not Dimmable



PHILIPS



PRODUCT DATA

SKU	01003
Brand	PHILIPS
Wattage	18W
Voltage	59V
Base	G13
Bulb Type	T8 Blacklight
Finish	Opal
Special Light Colour	Blacklight/Actinic Blue

Applications:

✓ Specialised; bug zapper, insect, curing, photochemical, printing


T5 Blacklight Blue

Tube Base G5 (28W)

**Blacklight Blue T5 Fluorescent
Tube 28W 1163mm**



Not Dimmable



PRODUCT DATA

SKU	28T5BLB
Brand	GMT*
Wattage	28W
Base	G5
Bulb Type	T5 Blacklight Blue
Finish	Black
Special Light Colour	Blacklight Blue

Applications:

✓ Entertainment; concert, dynamic, event, club, bar, stadium, amusement park, gaming, casino

✓ Special effects; shop window, club, bar, fairground attraction

*any available brand


T5 Blacklight Blue

Tube Base G5 (4W)

Blacklight Blue T5 Fluorescent Tube 4W 150mm



Not Dimmable



PRODUCT DATA

SKU	260861
Brand	GMT*
Wattage	4W
Base	G5
Bulb Type	T5 Blacklight Blue
Finish	Black
Special Light Colour	Blacklight Blue

Applications:

- ✓ Entertainment; concert, dynamic, event, club, bar, stadium, amusement park, gaming, casino
- ✓ Special effects; shop window, club, bar, fairground attraction

*any available brand


T5 Blacklight

Tube Base G5 (8W)

Actinic BL TL 8W/10 T5 G5 300mm



Not Dimmable



PRODUCT DATA

SKU	118BL
Brand	GMT*
Wattage	8W
Base	G5
Bulb Type	T5 Blacklight
Finish	Opal
Special Light Colour	Blacklight/Actinic Blue

Applications:

- ✓ Specialised; bug zapper, reptile care, curing

*any available brand


PLC Blacklight

G24d-3 2 Pins (26W)

Blacklight Compact Fluorescent Lamp PLC 26W G24d-3 2 Pins



Not Dimmable



PRODUCT DATA

SKU	PLC26BL
Brand	GMT*
Wattage	26W
Base	CFL Base - G24d-3 [2 Pins]
Bulb Type	Blacklight PLC
Finish	Opal
Special Light Colour	Blacklight/Actinic Blue

Applications:

✓ Specialised; bug zapper, reptile care, curing

*any available brand


T9 Blacklight

G10q 4 Pins (22W)

T9 Circline Blacklight Circular Fluorescent Tube 22W G10q 4 Pins



Not Dimmable



PRODUCT DATA

SKU	8102
Brand	GMT*
Wattage	22W
Base	G10q [4 Pins]
Bulb Type	T9 (28mm) Blacklight Circular Fluorescent
Finish	Opal
Special Light Colour	Blacklight /Actinic Blue

Applications:

✓ Specialised; bug zapper, curing nail polish, glue hardening

*any available brand


T8 LED

Tube Base G13 (18W)

T8 LED Coloured Tube 18W Blue G13 1200mm



Not Dimmable



PRODUCT DATA

SKU	6420LED
Brand	GMT*
Wattage	18W
Voltage	220-240V
Base	G13
Finish	Frost
Beam Angle	360°
Colour	Blue

Applications:

✓ Specialised; bug zapper, reptile care, curing

*any available brand


T8 LED

Tube Base G13 (10W)

T8 LED Coloured Tube 10W Green G13 600mm



Not Dimmable



PRODUCT DATA

SKU	6402LED
Brand	GMT*
Wattage	10W
Voltage	220-240V
Base	G13
Finish	Frost
Beam Angle	360°
Colour	Green

Applications:

✓ Residential spaces; garden, deck, living area
✓ Retail spaces; shop window

*any available brand


T8 Fluorescent

Tube Base G13 (18W)

Coloured Fluorescent T8 Tube 18W Blue G13 600mm



Not Dimmable



PRODUCT DATA

SKU	6400
Brand	GMT*
Wattage	18W
Base	G13
Finish	Opal
Beam Angle	360°
Colour	Blue

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T8 Fluorescent

Tube Base G13 (18W)

Coloured Fluorescent T8 Tube 18W Red G13 600mm



Not Dimmable



PRODUCT DATA

SKU	6404
Brand	GMT*
Wattage	18W
Base	G13
Finish	Red
Colour	Red

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T8 Fluorescent

Tube Base G13 (36W)

Coloured Fluorescent T8 Tube 36W Red G13 1200mm



Not Dimmable



PRODUCT DATA

SKU	202573
Brand	GMT*
Wattage	36W
Base	G13
Finish	Red
Colour	Red

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T8 Fluorescent

Tube Base G13 (18W)

Coloured Fluorescent T8 Tube 18W Yellow G13 600mm



Not Dimmable



PRODUCT DATA

SKU	6406
Brand	GMT*
Wattage	18W
Base	G13
Finish	Yellow
Beam Angle	360°

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T8 Fluorescent

Tube Base G13 (36W)

Coloured Fluorescent T8 Tube 36W Yellow G13 1200mm



Not Dimmable



PRODUCT DATA

SKU	6426
Brand	GMT*
Wattage	36W
Base	G13
Finish	Yellow
Colour	Yellow

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T8 Fluorescent

Tube Base G13 (36W)

Coloured Fluorescent T8 Tube 36W Pink G13 1200mm



Not Dimmable



PRODUCT DATA

SKU	6428PH
Brand	GMT*
Wattage	36W
Base	G13
Finish	Opal
Beam Angle	360°
Colour	Pink

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T5 Fluorescent

Tube Base G5 (28W)

Coloured Fluorescent T5 Tube 28W Red G5 1163mm



Not Dimmable



PRODUCT DATA

SKU	28T5228RE
Brand	GMT*
Wattage	28W
Base	Tube Base G5
Finish	Red
Colour	Red

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T5 Fluorescent

Tube Base G5 (28W)

Coloured Fluorescent T5 Tube 28W Yellow G5 1163mm



Not Dimmable



PRODUCT DATA

SKU	28T5YE
Brand	GMT*
Wattage	28W
Base	G5
Finish	Yellow
Beam Angle	360°
Colour	Yellow

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T5 Fluorescent

Tube Base G5 (14W)

Coloured Fluorescent T5 Tube 14W Yellow G5 563mm



Not Dimmable



PRODUCT DATA

SKU	214YEL
Brand	GMT*
Wattage	14W
Base	G5
Finish	Yellow
Colour	Yellow

Applications:

✓ Specialised; Club and DJ lighting, entertainment, lighting effects, shop windows

*any available brand


T8 Germicidal

Tube Base G13 (60-95W)

T8 TUV Germicidal Lamp HO 60-95W SL/25 G13 1514.2mm



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	TUV60W-95W
Brand	Philips
Wattage	60-95W
Base	Tube Base G13
Finish	Clear
Special Light Colour	TUV

Applications:

✓ Specialised; freshwater aquarium, disinfection systems, room disinfections equipment


T8 Germicidal

Tube Base G13 (30W)

TUV T8 Germicidal Tube 30W G13 900mm



Not Dimmable



PRODUCT DATA

SKU	6222
Brand	GMT*
Wattage	30W
Voltage	102V
Base	Base G13
Finish	Clear
Special Light Colour	TUV

Applications:

- ✓ Air disinfection systems in professional applications such as universities, hospitals, jails and laboratories
- ✓ Upper air and whole room disinfection equipment in hospitals, intensive care units and surgery rooms
- ✓ Fish ponds and process water units

*any available brand


T5 Germicidal

Tube Base G5 (16W)

TUV TL Mini 16W Germicidal UVC T5 G5 300mm



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	13387
Brand	Philips
Wattage	16W
Voltage	43V
Base	Tube Base G5
Finish	Clear
Special Light Colour	TUV

Applications:

- ✓ Specialised; freshwater aquarium, disinfection systems, room disinfections equipment


T5 Germicidal

Tube Base G5 (8W)

TUV TL Mini 8W Germicidal UVC T5 G5



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	6295
Brand	Philips
Wattage	8W
Voltage	56V
Base	Tube Base G5
Finish	Clear
Special Light Colour	TUV

Applications:

✓ Specialised; freshwater aquarium, disinfection systems, room disinfections equipment


T5 Germicidal

4 Pins Single Ended (20W)

TUV T5 Germicidal VH 20W 4 Pins Single Ended 480mm



Not Dimmable



PRODUCT DATA

SKU	GPH470T5VH4P
Brand	GMT*
Wattage	20W
Base	4 Pins Single Ended
Finish	Clear
Special Light Colour	TUV

Applications:

✓ Specialised; freshwater aquarium, disinfection systems, room disinfections equipment

*any available brand


T8 Fluorescent

Tube Base G13 (18W)

Gro-Lux T8 Fluorescent Light 18W G13 600mm



Dimmable



PRODUCT DATA

SKU	220350
Brand	GMT*
Wattage	18W
Voltage	57V
Base	Tube Base G13
Lumens	1350 Lm
Finish	Opal
Beam Angle	360°
Lifespan	10,000 hrs
Special Light Colour	Grolux

Applications:

- ✓ Specialised; freshwater aquarium, plant growth

*any available brand


T5 Fluorescent

Tube Base G5 (28W)

Master TL5 High Efficiency 28W 4000K 1163mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	39984
Brand	Philips
Wattage	28W
Base	Tube Base G5
Colour Temperature	4000K, Cool White
Lumens	2900 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (28W)

Master TL5 High Efficiency 28W 3000K G5 1163mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	39988
Brand	Philips
Wattage	28W
Base	Tube Base G5
Colour Temperature	3000K, Warm White
Lumens	2900 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (14W)

Master TL5 HE High Efficiency Fluorescent 14W 4000K G5 563mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	561564
Brand	Philips
Wattage	14W
Base	Tube Base G5
Colour Temperature	4000K, Cool White
Lumens	1200 Lm
Finish	Opal
Lifespan	24,000 hrs

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (24W)

Master TL5 HO High Output Fluorescent 24W 4000K G5 563mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	200773
Brand	Philips
Wattage	24W
Base	Tube Base G5
Colour Temperature	4000K, Cool White
Lumens	1700 Lm
Finish	Opal
Lifespan	30,000 hrs

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (80W)

HO Lumilux T5 Fluorescent 80W 4000K G5 1463mm



Dimmable



OSRAM

PRODUCT DATA

SKU	202785
Brand	OSRAM
Wattage	80W
Base	Tube Base G5
CRI	≥80
Colour Temperature	4000K, Cool White
Lumens	7000 Lm
Finish	Opal
Lifespan	24,000 hrs

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (35W)

TL5 High Efficiency 35W 4000K G5 1463mm



Dimmable



OSRAM

PRODUCT DATA

SKU	FH3584
Brand	OSRAM
Wattage	35W
Base	Tube Base G5
Colour Temperature	4000K, Cool White
Lumens	3325 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (28W)

High Efficiency T5 Fluorescent Tube 28W 4000K G5 1163mm n/s



Dimmable



PRODUCT DATA

SKU	G61078
Brand	GMT*
Wattage	28W
Base	Tube Base G5
Colour Temperature	4000K, Cool White
Lumens	1680 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


T5 Fluorescent

Tube Base G5 (21W)

T5 Fluorescent Tube 21W 6500K G5 862mm



Dimmable



PRODUCT DATA

SKU	F21T5865
Brand	GMT*
Wattage	21W
Base	Tube Base G5
Colour Temperature	6500K, Daylight/Cool Daylight
Lumens	1260 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


T5 Fluorescent

Tube Base G5 (14W)

T5 Fluorescent Tube 14W 3000K G5 563mm



Dimmable



PRODUCT DATA

SKU	F14T5830
Brand	GMT*
Wattage	14W
Base	Tube Base G5
Colour Temperature	3000K, Warm White
Lumens	840 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


T5 Fluorescent

Tube Base G5 (35W)

HE T5 Smartlux Fluorescent 35W 3000K G5 1463mm



Dimmable



OSRAM

PRODUCT DATA

SKU	39991
Brand	OSRAM
Wattage	35W
Base	Tube Base G5
Colour Temperature	3000K, Warm White
Lumens	3650 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (39W)

HO Lumilux T5 Fluorescent 39W 4000K G5 862mm



Dimmable



OSRAM

PRODUCT DATA

SKU	200776
Brand	OSRAM
Wattage	39W
Base	Tube Base G5
CRI	≥80
Colour Temperature	4000K, Cool White
Lumens	3500 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (35W)

HE T5 Smartlux Fluorescent 35W 6500K G5 1463mm



Dimmable



OSRAM

PRODUCT DATA

SKU	FH3586
Brand	OSRAM
Wattage	35W
Base	Tube Base G5
Colour Temperature	6500K, Daylight/Cool Daylight
Lumens	3500 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (13W)

T5 Fluorescent Tube 13W 4200K G5 530mm



Dimmable



PRODUCT DATA

SKU	260882
Brand	GMT*
Wattage	13W
Base	Tube Base G5
Colour Temperature	4200K, Cool White
Lumens	780 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


T5 Fluorescent

Tube Base G5 (54W)

Master TL5 HO High Output Fluorescent 54W 4000K G5 1163mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	561657
Brand	Philps
Wattage	54W
Base	Tube Base G5
Colour Temperature	4000K, Cool White
Lumens	4500 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T5 Fluorescent

Tube Base G5 (28W)

Master TL5 High Efficiency 28W 6500K G5 1163mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	88341
Brand	Philps
Wattage	28W
Base	Tube Base G5
Colour Temperature	6500K, Daylight/Cool Daylight
Lumens	2700 Lm
Finish	Opal


Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

T8 Fluorescent

Tube Base G13 (58W)

Alto Master TL-D Super 80 Fluorescent Lights T8 58W 6500K G13 1500mm



PHILIPS

PRODUCT DATA

SKU	8145
Brand	Philips
Wattage	58W
Voltage	111V
Base	Tube Base G13
Colour Temperature	6500K, Daylight/Cool Daylight
Lumens	4800 Lm
Finish	Opal


Applications:

- √ Residential spaces; kitchen, bathroom
- √ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- √ Office spaces; office, university, school, garage, conference room, corridor, foyer
- √ Retail spaces; supermarket, grocer, mall, salesroom

T8 Fluorescent

Tube Base G13 (58W)

Alto Master TL-D Super 80 Fluorescent Lights T8 58W 4000K G13 1500mm



PHILIPS

PRODUCT DATA

SKU	8135
Brand	Philips
Wattage	58W
Voltage	111V
Base	Tube Base G13
Colour Temperature	4000K, Cool White
Lumens	5150 Lm
Finish	Opal


Applications:

- √ Residential spaces; kitchen, bathroom
- √ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- √ Office spaces; office, university, school, garage, conference room, corridor, foyer
- √ Retail spaces; supermarket, grocer, mall, salesroom

T8 Fluorescent

Tube Base G13 (36W)

Alto Master TL-D Super 80 Fluorescent Lights T8 36W 4000K G13 1200mm



PHILIPS

PRODUCT DATA

SKU	6836
Brand	Philips
Wattage	36W
Voltage	103V
Base	Tube Base G13
Colour Temperature	4000K, Cool White
Lumens	3250 Lm
Finish	Opal


Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

T8 Fluorescent

Tube Base G13 (36W)

Alto Master TL-D Super 80 Fluorescent Lights T8 36W 6500K G13 1200mm



PHILIPS

PRODUCT DATA

SKU	6835
Brand	Philips
Wattage	36W
Voltage	103V
Base	Tube Base G13
Colour Temperature	6500K, Daylight/Cool Daylight
Lumens	3070 Lm
Finish	Opal
Beam Angle	360°

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T8 Fluorescent

Tube Base G13 (36W)

Alto Master TL-D Super 80 Fluorescent Lights T8 36W 3000K G13 1200mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	6833
Brand	Philips
Wattage	36W
Voltage	103V
Base	Tube Base G13
Colour Temperature	6500K, Daylight/Cool Daylight
Lumens	3070 Lm
Finish	Opal
Beam Angle	360°

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T8 Fluorescent

Tube Base G13 (18W)

Alto Master TL-D Super 80 Fluorescent Lights T8 18W 4000K G13 600mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	8201
Brand	Philips
Wattage	18W
Voltage	59V
Base	Tube Base G13
Colour Temperature	4000K, Cool White
Lumens	1350 Lm
Finish	Opal
Beam Angle	360°

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T8 Fluorescent

Tube Base G13 (36W)

Alto Master TL-D Super 80 Fluorescent Lights T8 36W 5000K G13 1200mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	6837
Brand	Philips
Wattage	36W
Voltage	103V
Base	Tube Base G13
Colour Temperature	5000K, Natural Light
Lumens	3170 Lm
Finish	Opal
Beam Angle	360°

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T8 Fluorescent

Tube Base G13 (18W)

Alto Master TL-D Super 80 Fluorescent Lights T8 18W 6500K G13 600mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	8203d
Brand	Philips
Wattage	18W
Voltage	59V
Base	Tube Base G13
Colour Temperature	6500K, Daylight/Cool Daylight
Lumens	1275 Lm
Finish	Opal
Beam Angle	360°

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T8 Fluorescent

Tube Base G13 (14W)

T8 Triphosphor Fluorescent Lamp 14W 4000K G13 360mm



Dimmable



PRODUCT DATA

SKU	6841CH
Brand	GMT*
Wattage	14W
Voltage	103V
Base	Tube Base G13
Colour Temperature	4000K, Cool White
Lumens	700 Lm
Finish	Opal
Beam Angle	360°

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


T8 Fluorescent

Tube Base G13 (58W)

Master TL-D 90 Graphica T8 58W 5000K G13 1500mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	888754
Brand	Philips
Wattage	58W
Base	Tube Base G13
Colour Temperature	5000K, Natural Light
Lumens	4550 Lm
Finish	Opal
Lifespan	12,000 hrs

Applications:

- ✓ Specialised; first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops


T8 Fluorescent

Tube Base G13 (10W)

T8 Lifemax Tube Light TL-D 10W 4100K G13 340mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	TLD10W33
Brand	Philips
Wattage	10W
Voltage	46V
Base	Tube Base G13
Colour Temperature	4100K, Cool White
Lumens	440 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T8 Fluorescent

Tube Base G13 (30W)

T8 Bright Boost Super 80 30W 4000K G13 900mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	8184
Brand	Philips
Wattage	30W
Base	Tube Base G13
Colour Temperature	4000K, Cool White
Lumens	2400 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


T8 Meat Tube

Tube Base G13 (36W)

T8 Triphosphor Fluorescent Meat Display Light 36W G13 1200mm



Not Dimmable



PRODUCT DATA

SKU	MG40HG
Brand	GMT*
Wattage	36W
Base	Tube Base G13
Finish	Opal
Lifespan	20,000 hrs
Special Light Colour	Meat Tube

Applications:

✓ Specialised; Meat Tube, Food Display, Supermarket, Butcher, Shop, Bakery

*any available brand


T8 Meat Tube

Tube Base G13 (58W)

T8 Triphosphor Fluorescent Meat Display Light 58W G13 1500mm



Not Dimmable



PRODUCT DATA

SKU	8053
Brand	GMT*
Wattage	58W
Base	Tube Base G13
Finish	Opal
Lifespan	10,000 hrs
Special Light Colour	Meat Tube

Applications:


✓ Specialised; Meat Tube, Food Display, Supermarket, Butcher, Shop, Bakery

*any available brand

T12 Fluorescent

Tube Base G13 (40W)

TL RS Rapid Start Fluorescent T12 40W 4000K G13 1210mm



PRODUCT DATA

SKU	4084RS
Brand	GMT*
Wattage	40W
Voltage	101V
Base	Tube Base G13
Colour Temperature	4000K, Cool White
Lumens	2500 Lm
Finish	Opal
Lifespan	13,000 hrs

Applications:


- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand

Circular Fluorescent

2GX13 4 Pins (40W)

Master TL5 Circular Fluorescent T5 40W 4000K 840 2GX13 4 Pins



PHILIPS

PRODUCT DATA

SKU	FC40WT5840
Brand	Philips
Wattage	40W
Base	2GX13 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	3300 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


Circular Fluorescent

2GX13 4 Pins (55W)

Master TL5 Circular Fluorescent T5 55W 4000K 840 2GX13 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	FC55W840
Brand	Philips
Wattage	55W
Base	2GX13 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	4200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, kitchen, bathroom
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
- ✓ Hospitality spaces; restaurant, hotel, lobby, corridor, toilets


Circular Fluorescent

G10q 4 Pins (40W)

Triphosphor Circular Fluorescent T5 40W 4200K G10q 4 Pins



Not Dimmable



PRODUCT DATA

SKU	M5R40CC
Brand	GMT*
Wattage	40W
Base	G10q [4 Pins]
Colour Temperature	4200K, Cool White
Lumens	2400 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer

*any available brand


Circular Fluorescent

2GX13 4 Pins (55W)

FC Lumilux Circular Fluorescent T5 55W 3000K 2GX13 4 Pins



Dimmable



OSRAM

PRODUCT DATA

SKU	TL5C55W830
Brand	OSRAM
Wattage	55W
Base	2GX13 [4 Pins]
Colour Temperature	3000K, Warm White
Lumens	4200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, kitchen, bathroom
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
- ✓ Hospitality spaces; restaurant, hotel, lobby, corridor, toilets


Circular Fluorescent

G10q 4 Pins (22W)

Triphosphor Circular Fluorescent T9 22W 4000K G10q 4 Pins



Dimmable



PRODUCT DATA

SKU	22T8840
Brand	GMT*
Wattage	22W
Base	G10q [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	1350 Lm
Finish	Opal

Applications:


- ✓ Residential spaces; dining room, kitchen, bathroom
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
- ✓ Hospitality spaces; restaurant, hotel, lobby, corridor, toilets

*any available brand

Circular Fluorescent

G10q 4 Pins (32W)

Triphosphor Circular Fluorescent T9 32W 4000K G10q 4 Pins



PRODUCT DATA

SKU	8104
Brand	GMT*
Wattage	32W
Base	G10q [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	2300 Lm
Finish	Opal
Lifespan	8000 hrs


Applications:

- ✓ Residential spaces; dining room, kitchen, bathroom
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
- ✓ Hospitality spaces; restaurant, hotel, lobby, corridor, toilets

Compact Fluorescent

GR10q 4 Pins (16W)

Philips PL-Q CFL Square 16W 3500K GR10q 4 Pins Dimmable



PHILIPS

PRODUCT DATA

SKU	1892
Brand	Philips
Wattage	16W
Base	GR10q [4 Pins]
Colour Temperature	3500K, Warm White
Lumens	1050 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


Compact Fluorescent

GR10q 4 Pins (28W)

PL-Q CFL Square 2D 28W 4000K
GR10q 4 Pins Dimmable



Dimmable



PHILIPS

PRODUCT DATA

SKU	3799
Brand	Philips
Wattage	28W
Base	GR10q [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	2050 Lm
Finish	Opal
Life	13,000 hrs

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets


Compact Fluorescent

GR8 2 Pins (16W)

CFL Square Lumilux 2D 16W 2700K
GR8 2 Pins Non-Dimmable



Not Dimmable



OSRAM


PRODUCT DATA

SKU	1893
Brand	OSRAM
Wattage	16W
Base	GR8 [2 Pins]
Colour Temperature	3500K, Warm White
Lumens	1050 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer

CFL Square Lumilux 2D 38W 3500K GR10q 4 Pins Dimmable



OSRAM

PRODUCT DATA

SKU	29951
Brand	OSRAM
Wattage	38W
Base	GR10q [4 Pins]
Colour Temperature	3500K, Warm White
Lumens	2735 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets



CATEGORY OVERVIEW

GLOBES



Halogen Oven G9



Halogen Oven G4



Halogen Founcy Round



Incandescent Pilot E12



Incandescent Signal E10



Incandescent Pilot E14



Incandescent Oven E27



Incandescent Oven E27



Incandescent Oven B22



Incandescent Signal
BA9s



LED Candle E14



LED Candle E12



Incandescent Oven E27



Incandescent Oven E14



Incandescent
Rangehood E14



LED Candle BA15d



LED Candle E27



LED Candle E14

CATEGORY OVERVIEW

GLOBES



LED Candle BA15d



LED Candle E14



LED Candle BA15d



Halogen Candle BA15d



LED MR16



Halogen MR16



LED Candle B22



LED Candle E14



LED Candle B22



Halogen MR11



Halogen GU10



LED GU10




Halogen Candle E14



Halogen Candle B22



Halogen Candle E14



Halogen AR111



Halogen Fancy Round
BA15d



Incandescent GLS E27


Halogen Lamp

G9 Base (25W)

Halopin Oven Standard 66725 25W 2700K Clear G9



Dimmable



OSRAM

PRODUCT DATA

SKU	703552
Brand	OSRAM
Wattage	25W
Voltage	230V
Base	G9
Colour Temperature	2700K, Warm White
Lumens	260 Lm
Finish	Clear

Applications:

√ Specialised; rangehood, oven


Halogen Lamp

G9 Base (40W)

Halopin Oven Standard 66740 40W 2700K Clear G9



Dimmable



OSRAM

PRODUCT DATA

SKU	703576
Brand	OSRAM
Wattage	40W
Voltage	230V
Base	G9
Colour Temperature	2700K, Warm White
Lumens	490 Lm
Finish	Clear

Applications:

√ Specialised; rangehood, oven


Halogen Lamp

G4 Base (20W)

Halogen Halostar Oven 64428 20W 2800K Clear G4



Dimmable



OSRAM

PRODUCT DATA

SKU	64428
Brand	OSRAM
Wattage	20W
Voltage	12V
Base	G4
Colour Temperature	2800K, Warm White
Lumens	320 Lm
Finish	Clear

Applications:

√ Specialised; rangehood, oven


Halogen Lamp

E14 Globe (40W)

Fancy Round Oven Light 40W 240V E14



Not Dimmable



PRODUCT DATA

SKU	E2045
Brand	GMT*
Wattage	40W
Voltage	240V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	400 Lm
Finish	Clear

Applications:

√ Specialised; rangehood, oven

*any available brand


Incandescent Lamp

E27 Globe (60W)

Incandescent Oven Globe 60W Clear 230-240V E27



Not Dimmable



PRODUCT DATA

SKU	ST4262
Brand	GMT*
Wattage	60W
Voltage	230-240V
Base	E27
Colour Temperature	2700K, Warm White
Lumens	660 Lm
Finish	Clear

Applications:

✓ Specialised; rangehood, oven

*any available brand


Incandescent Lamp

E27 Globe (15W)

Incandescent Oven Pilot Lamp 15W 2700K Clear E27



Not Dimmable



PRODUCT DATA

SKU	260847
Brand	GMT*
Wattage	15W
Voltage	240V
Base	E27
Colour Temperature	2700K, Warm White
Lumens	225 Lm
Finish	Clear

Applications:

✓ Specialised; rangehood, oven

*any available brand


Incandescent Lamp

B22 Globe (25W)

Incandescent Oven Tubular 25W Clear 250V B22



Not Dimmable



PRODUCT DATA

SKU	25PIOVEN
Brand	GMT*
Wattage	25W
Voltage	250V
Base	B22
Colour Temperature	2700K, Warm White
Lumens	400 Lm
Finish	Clear

Applications:

√ Specialised; rangehood, oven

*any available brand


Incandescent Lamp

E27 Globe (60W)

Incandescent Oven Tubular 60W Clear 240V E27



Not Dimmable



PRODUCT DATA

SKU	260859
Brand	GMT*
Wattage	60W
Voltage	240V
Base	E27
Colour Temperature	2700K, Warm White
Lumens	660 Lm
Finish	Clear

Applications:

√ Specialised; rangehood, oven

*any available brand


Incandescent Lamp

E14 Globe (25W)

Oven Lamp 25W T25 Clear 240V E14



Dimmable



PHILIPS

PRODUCT DATA

SKU	E5241
Brand	Philips
Wattage	25W
Voltage	230-240V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	172 Lm
Finish	Clear

Applications:

✓ Specialised; rangehood, oven


Incandescent Lamp

E14 Globe (15W)

Tubular Bulb Oven/Microwave/ Rangehood T25 15W E14



Dimmable



PHILIPS

PRODUCT DATA

SKU	E5240
Brand	Philips
Wattage	15W
Voltage	220-240V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	225 Lm
Finish	Clear

Applications:

✓ Residential spaces; oven, kitchen, Rangehood Appliance, microwave, fridge


Incandescent Lamp

E14 Globe (40W)

Rangehood Tubular T25L Clear 40W 2700K E14



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	E8240
Brand	Philips
Wattage	40W
Voltage	240V
Base	E14
Colour Temperature	2700K, Warm White
Finish	Clear

Applications:

✓ Residential spaces; kitchen, Rangehood Appliance


Incandescent Lamp

E12 Globe (7W)

Night Light Pilot Lamp 7W 250V 2700K E12



Not Dimmable



PRODUCT DATA

SKU	E4350
Brand	GMT*
Wattage	7W
Voltage	250V
Base	E12
Colour Temperature	2700K, Warm White
Lumens	105 Lm
Finish	Clear
Beam Angle	220°

Applications:

✓ Specialised; night light

*any available brand


Incandescent Lamp

E10 Globe (5W)

Miniature Incandescent Signal Filament Round Lamp 5W 24V E10



Dimmable



PRODUCT DATA

SKU	E2822
Brand	GMT*
Wattage	5W
Voltage	24V
Base	E10
Colour Temperature	2700K, Warm White
Lumens	75 Lm
Finish	Clear

Applications:

✓ Specialised; signal lamp

*any available brand


Incandescent Lamp

E14 Globe (7/10W)

Pilot Night Light Globe 240V 7/10W 2700K E14 Dimmable



Dimmable



PRODUCT DATA

SKU	E5350
Brand	GMT*
Wattage	7/10W
Voltage	250V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	150 Lm
Finish	Clear
Beam Angle	220°
Life	1000 hrs

Applications:

✓ Specialised; night light

*any available brand


Incandescent Lamp

BA9s Globe (2W)

Miniature Incandescent Signal Filament Lamp 2W 24V BA9s



Dimmable



PRODUCT DATA

SKU	B3456
Brand	GMT*
Wattage	2W
Voltage	24V
Base	BA9s
Colour Temperature	2700K, Warm White
Lumens	30 Lm
Finish	Clear

Applications:

✓ Specialised; signal lamp

*any available brand


LED Candle Filament

E14 Base (4W)

LED Candle Filament Clear 4W 12V 2700K Non-Dimmable E14



Not Dimmable



PRODUCT DATA

SKU	385012003WW
Brand	GMT*
Wattage	4W
Voltage	12V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	360 Lm
Finish	Clear
Beam Angle	180°

Applications:

✓ Residential spaces; dining room, bedroom, kitchen

✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand


LED Candle Filament

E14 Base (4W)

LED Filament PFM Candle Clear 4W 2700K Dimmable E14



Not Dimmable



PRODUCT DATA

SKU	412576
Brand	Ledvance
Wattage	4W
Voltage	220-240V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	270 Lm
Finish	Clear
Beam Angle	300°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor


LED Candle Filament

E14 Base (4.8W)

LED Filament Candle 4.8W 2700K Dimmable E14 SES



Dimmable



PRODUCT DATA

SKU	122201
Brand	GMT*
Wattage	4.8W
Voltage	220-240V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	470 Lm
Finish	Clear
CRI	Ra ≥80
Beam Angle	360°

Applications:


- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand

LED Filament Candle Clear 4W 2700K Dimmable E12



Not Dimmable



PRODUCT DATA

SKU	F412C35C27K
Brand	GMT*
Wattage	4W
Voltage	240V
Base	E12 [Candelabra - CES]
Colour Temperature	2700K, Warm White
Lumens	400 Lm
Finish	Clear
Beam Angle	360°

Applications:


- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand

LED Filament Candle 4.8W 2700K Dimmable BA15d



Dimmable



PRODUCT DATA

SKU	122202
Brand	GMT*
Wattage	4.8W
Voltage	220-240V
Base	BA15d
Colour Temperature	2700K, Warm White
Lumens	470 Lm
Finish	Clear
CRI	Ra ≥80
Beam Angle	360°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand


LED Candle

E27 Base (7W)

LED Candle Frost 7W 3000K E27 Dimmable



Dimmable



PRODUCT DATA

SKU	8407a
Brand	GMT*
Wattage	7W
Voltage	240V
Base	E27
Colour Temperature	3000K, Warm White
Lumens	600 Lm
Finish	Frost

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand


LED Candle

E14 Base (7W)

LED Candle Frost 7W 3000K E14 Dimmable



Dimmable



PRODUCT DATA

SKU	8407b
Brand	GMT*
Wattage	7W
Voltage	240V
Base	E14
Colour Temperature	3000K, Warm White
Lumens	600 Lm
Finish	Frost

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand


LED Candle

BA15d Base (7W)

LED Candle Clear 7W 3000K BA15d Dimmable



Dimmable



PRODUCT DATA

SKU	8407c
Brand	GMT*
Wattage	7W
Voltage	240V
Base	BA15d
Colour Temperature	3000K, Warm White
Lumens	600 Lm
Finish	Clear

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand


LED Candle

E14 Base (7W)

LED Candle Clear 7W 3000K E14 Dimmable



Dimmable



PRODUCT DATA

SKU	8407e
Brand	GMT*
Wattage	7W
Voltage	240V
Base	E14
Colour Temperature	3000K, Warm White
Lumens	600 Lm
Finish	Clear

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand


LED Candle

BA15d Base (7W)

LED Candle Frost 7W 3000K BA15d Dimmable



Dimmable



PRODUCT DATA

SKU	8407f
Brand	GMT*
Wattage	7W
Voltage	240V
Base	BA15d
Colour Temperature	3000K, Warm White
Lumens	600 Lm
Finish	Frost

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand


LED Candle

B22 Base (6W)

LED Candle Clear 7W 3000K B22 Dimmable



Dimmable



PRODUCT DATA

SKU	8407g
Brand	GMT*
Wattage	7W
Voltage	240V
Base	B22
Colour Temperature	3000K, Warm White
Lumens	600 Lm
Finish	Clear

Applications:


- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand

LED Candle Frosted 6W 4000K Dimmable E14



Dimmable



PRODUCT DATA

SKU	122149
Brand	GMT*
Wattage	6W
Voltage	220-240V
Base	E14
Colour Temperature	4000K, Cool White
Lumens	500 Lm
Finish	Frost
Beam Angle	300°

Applications:


- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand

LED Candle Frosted 6W 3000K Dimmable B22



Dimmable



PRODUCT DATA

SKU	122148
Brand	GMT*
Wattage	6W
Voltage	220-240V
Base	B22
Colour Temperature	3000K, Warm White
Lumens	470 Lm
Finish	Frost
Beam Angle	300°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor

*any available brand


Halogen Candle

E14 Base (28W)

ECO C35 Halogen Candle Globe Frosted 28W 240V E14



Dimmable



PRODUCT DATA

SKU	10286
Brand	GMT*
Wattage	28W (=40W)
Voltage	240V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	560 Lm
Finish	Frost
Beam Angle	280°

Applications:

✓ Residential spaces; dining room, bedroom, kitchen, bathroom
 ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
 ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets

*any available brand


Halogen Candle

B22 Base (28W)

Energy Saving Halogen Candle Globe Clear 28W 240V B22



Dimmable



PRODUCT DATA

SKU	DHC28BCC
Brand	GMT*
Wattage	28W(=40W)
Voltage	240V
Base	B22
Colour Temperature	2700K, Warm White
Lumens	350 Lm
Finish	Clear
Beam Angle	280°

Applications:


✓ Residential spaces; dining room, bedroom, kitchen, bathroom
 ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
 ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets

*any available brand

ECO C35 Halogen Candle Globe Clear 18W 240V B22



Dimmable



PRODUCT DATA

SKU	10271
Brand	GMT*
Wattage	18W(=25W)
Voltage	240V
Base	B22
Colour Temperature	2700K, Warm White
Lumens	360 Lm
Finish	Clear
Beam Angle	280°

Applications:


- ✓ Residential spaces; dining room, bedroom, kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets

*any available brand

Energy Saving Halogen Candle Globe Clear 18W E14



Dimmable



PRODUCT DATA

SKU	DHG18SESC
Brand	GMT*
Wattage	18W(=25W)
Voltage	240V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	210 Lm
Finish	Clear
Beam Angle	280°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets

*any available brand


Halogen Candle

BA15d Base (18W)

Energy Saving Halogen Candle Globe Clear 18W 240V BA15d



Dimmable



PRODUCT DATA

SKU	DHG18SBCC
Brand	GMT*
Wattage	18W(=25W)
Voltage	240V
Base	BA15d
Colour Temperature	2700K, Warm White
Lumens	195 Lm
Finish	Clear
Beam Angle	280°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets

*any available brand


LED MR16

GU5.3 Globe (7.5W)

LED MR16 7.5W 60D 3000K GU5.3 Dimmable



Dimmable



PHILIPS

PRODUCT DATA

SKU	92900124519
Brand	PHILIPS
Wattage	7.5W
Voltage	12V
Base	GU5.3
Colour Temperature	3000K, Warm White
Lumens	710 Lm
Finish	Clear
Beam Angle	60°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


LED MR16

GU5.3 Globe (7.5W)

LED MR16 7.5W 60D 4000K GU5.3 Dimmable



Dimmable



PHILIPS

PRODUCT DATA

SKU	929001280719
Brand	PHILIPS
Wattage	7.5W
Voltage	12V
Base	GU5.3
Colour Temperature	4000K, Cool White
Lumens	745 Lm
Finish	Clear
Beam Angle	60°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


LED MR16

GU5.3 Globe (6.5W)

Master LED MR16 6.5W 60D 3000K GU5.3 Dimmable



Dimmable



PHILIPS

PRODUCT DATA

SKU	929003076008
Brand	PHILIPS
Wattage	6.5W
Voltage	12V
Base	GU5.3
CRI	90
Colour Temperature	3000K, Warm White
Lumens	500 Lm
Finish	Black
Beam Angle	60°


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

LED MR16

GU5.3 Globe (6.5W)

Master LED MR16 6.5W 60D 4000K GU5.3 Dimmable



PHILIPS

PRODUCT DATA

SKU	929003076108
Brand	PHILIPS
Wattage	6.5W
Voltage	12V
Base	GU5.3
CRI	90
Colour Temperature	4000K, Cool White
Lumens	550 Lm
Finish	Black
Beam Angle	60°


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

LED MR16

GU5.3 Globe (6.5W)

Master LED MR16 6.5W 60D 2700K GU5.3 Dimmable



PHILIPS

PRODUCT DATA

SKU	929003075908
Brand	PHILIPS
Wattage	6.5W
Voltage	12V
Base	GU5.3
CRI	90
Colour Temperature	2700K, Warm White
Lumens	500 Lm
Finish	Black
Beam Angle	60°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


LED MR16

GU5.3 Globe (6.5W)

Master LED MR16 6.5W 36D 4000K GU5.3 Dimmable



Dimmable



PHILIPS

PRODUCT DATA

SKU	929003072408
Brand	PHILIPS
Wattage	6.5W
Voltage	12V
Base	GU5.3
CRI	90
Colour Temperature	4000K, Cool White
Lumens	530 Lm
Finish	Black
Beam Angle	36°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


LED MR16

GU5.3 Globe (6.5W)

Master LED MR16 6.5W 36D 2700K GU5.3 Dimmable



Dimmable



PHILIPS

PRODUCT DATA

SKU	9290003072208
Brand	PHILIPS
Wattage	6.5W
Voltage	12V
Base	GU5.3
CRI	90
Colour Temperature	2700K, Warm White
Lumens	500 Lm
Finish	Black
Beam Angle	36°


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

LED MR16

GU5.3 Globe (6.5W)

Master LED MR16 6.5W 36D 3000K GU5.3 Dimmable



PHILIPS

PRODUCT DATA

SKU	1153249
Brand	PHILIPS
Wattage	6.5W
Voltage	12V
Base	GU5.3
CRI	90
Colour Temperature	3000K, Warm White
Lumens	500 Lm
Finish	Black
Beam Angle	36°


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

LED MR16

GU5.3 Globe (7.5W)

LED Performance MR16 7.5W 60D 4000K GU5.3 Dimmable



OSRAM

PRODUCT DATA

SKU	4058075291447
Brand	OSRAM
Wattage	7.5W
Voltage	12V
Base	GU5.3
Colour Temperature	4000K, Cool White
Lumens	630 Lm
Finish	Clear
Beam Angle	60°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


LED MR16

GU5.3 Globe (7.5W)

LED Performance MR16 7.5W 60D 3000K GU5.3 Dimmable



Dimmable



OSRAM

PRODUCT DATA

SKU	LPMR1650607W8
Brand	OSRAM
Wattage	7.5W
Voltage	12V
Base	GU5.3
Colour Temperature	3000K, Warm White
Lumens	760 Lm
Finish	Clear
Beam Angle	60°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


Halogen MR16

GU5.3 Globe (20W)

Halogen Dichroic MR16 Gold 20W 12V 38D 3000K GU5.3



Dimmable



PRODUCT DATA

SKU	620206
Brand	GMT*
Wattage	20W
Voltage	12V
Base	GU5.3
Colour Temperature	3000K, Warm White
Lumens	400 Lm
Finish	Clear
Beam Angle	38°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


Halogen MR16

GU5.3 Globe (50W)

Halogen Lamp MR16 EXN 50W 24V GX5.3



Dimmable



PRODUCT DATA

SKU	3680
Brand	GMT*
Wattage	50W
Voltage	24V
Base	GU5.3
Colour Temperature	3200K, Warm White
Lumens	1000 Lm
Finish	Clear
Beam Angle	38°

Applications:

✓ Specialised; medical, special medical projectors


Halogen MR16

GU5.3 Globe (20W)

Decostar Halogen MR16 48860 VWFL 20W 12V 60D 3000K GU5.3



Dimmable



OSRAM

PRODUCT DATA

SKU	620220
Brand	OSRAM
Wattage	20W
Voltage	12V
Base	GU5.3
Colour Temperature	3000K, Warm White
Lumens	250 Lm
Finish	Clear
Beam Angle	60°

Applications:

✓ Residential spaces; dining room, bedroom, kitchen
 ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
 ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


Halogen MR16

GU5.3 Globe (35W)

Decostar 51 Pro Halogen MR16 48865 SP 35W 12V 10D 3000K GU5.3



Dimmable



OSRAM

PRODUCT DATA

SKU	48865SP
Brand	OSRAM
Wattage	35W
Voltage	12V
Base	GU5.3
Colour Temperature	3000K, Warm White
Lumens	620 Lm
Finish	Clear
Beam Angle	10°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


Halogen MR16

GU5.3 Globe (35W)

Halogen MR16 35W 3000K 12V 36D GU5.3



Dimmable



PRODUCT DATA

SKU	48865WFL
Brand	GMT*
Wattage	35W
Voltage	12V
Base	GU5.3
CRI	Ra=100
Colour Temperature	3000K, Warm White
Lumens	620 Lm
Finish	Clear
Beam Angle	36°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand


Halogen MR11

GU4 Globe (20W)

20W 2800K 12V MR11 GU4 30D
Dimmable



Dimmable



PRODUCT DATA

SKU	1259
Brand	GMT*
Wattage	20W
Voltage	12V
Base	GU4
Colour Temperature	2800K, Warm White
Lumens	205 Lm
Finish	Clear
Beam Angle	30°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Office spaces; office
- ✓ Retail spaces; shop window, salesroom

*any available brand


Halogen MR11

GU4 Globe (35W)

Halogen Dichroic MR11 35W 12V
30D 2700K GU4



Dimmable



PRODUCT DATA

SKU	H68067F
Brand	GMT*
Wattage	35W
Voltage	12V
Base	GU4
Colour Temperature	2700K, Warm White
Lumens	700 Lm
Finish	Clear
Beam Angle	30°

Applications:

- ✓ Retail spaces; shop window, shelving, supermarket, grocer, mall, salesroom, display cabinets

*any available brand


Halogen MR11

GU4 Globe (10W)

Halogen Dichroic MR11 10W 12V 10D 2700K GU4 Dimmable



Dimmable



PRODUCT DATA

SKU	3616
Brand	GMT*
Wattage	10W
Voltage	12V
Base	GU4
Colour Temperature	2700K, Warm White
Lumens	200 Lm
Finish	Clear
Beam Angle	10°

Applications:

✓ Retail spaces; shop window, shelving, supermarket, grocer, mall, salesroom, display cabinets

*any available brand


Halogen Reflector

GU10 Globe (50W)

Halogen Reflector Lamp 50W 240V 2900K 40D GU10



Dimmable



PRODUCT DATA

SKU	H4563
Brand	GMT*
Wattage	50W
Voltage	240V
Base	GU10
Colour Temperature	2900K, Warm White
Lumens	1000 Lm
Finish	Clear
Beam Angle	40°

Applications:

✓ Residential spaces; dining room, bedroom, kitchen
✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor
✓ Office spaces; office

*any available brand


LED PAR16 GU10

GU10 Globe (10W)

LED Performance PAR16 110 P 10W 36D 3000K GU10 Dimmable



Dimmable



OSRAM

PRODUCT DATA

SKU	75806641
Brand	OSRAM
Wattage	10W
Voltage	220-240V
Base	GU10
Colour Temperature	3000K, Warm White
Lumens	830 Lm
Finish	Black
Beam Angle	36°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom



Halogen AR111

G53 Globe (50W)

Premium Life AR111 Energy Saver 50W 2950K 24D G53 Dimmable



Dimmable



PRODUCT DATA

SKU	41835FLOSR
Brand	GMT*
Wattage	50W
Voltage	12V
Base	G53
Colour Temperature	2950K, Warm White
Lumens	510 Lm
Finish	Silver
Beam Angle	24°

Applications:

- ✓ Residential spaces; dining room, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; shop window, supermarket, grocer, mall, salesroom, toilets

*any available brand


Halogen Lamp

BA15d Base (28W)

**Halogen Fancy Round ECO
G45 Lamp Frosted 28W 2800K
Dimmable BA15d**



Dimmable



PRODUCT DATA

SKU	DHG28FRSBCF
Brand	GMT*
Wattage	28W
Voltage	240V
Base	BA15d
Colour Temperature	2800K, Warm White
Lumens	350 Lm
Finish	Frost

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Residential spaces; chandelier, wall sconce
- ✓ Retail spaces; shop window, salesroom

*any available brand


Incandescent GLS

E27 Globe (100W)

**Silicon Coated Shatterproof
GLS Globe Clear 100W 240V E27**



Not Dimmable



PRODUCT DATA

SKU	260182SH
Brand	GMT*
Wattage	100W
Voltage	240V
Base	E27
Colour Temperature	2700K, Warm White
Lumens	1500 Lm
Finish	Clear
Beam Angle	210°

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; food display, restaurant, hotel

*any available brand



CATEGORY OVERVIEW

PL LAMPS



Fluoro PL-L 4 Pins



Fluoro PLC 4 Pins



Fluoro PLC 2 Pins



Fluoro PL-T 4 Pins



Fluoro PL-S 2 Pins



Fluoro PL-S 4 Pins



Fluoro PL-F 4 Pins



Fluoro PL-R 4 Pins


Fluorescent PL-L

2G11 4 Pins (36W)

Master Compact Fluorescent PL-L 36W 840 2G11 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	5098
Brand	PHILIPS
Wattage	36W
Base	CFL Base: 2G11 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	2900 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PL-L

2G11 4 Pins (55W)

Master Compact Fluorescent PL-L 55W 840 2G11 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	507184
Brand	PHILIPS
Wattage	55W
Base	CFL Base: 2G11 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	4800 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PL-L

2G11 4 Pins (36W)

Dulux L PL-L 36W 830 2G11 4 Pins



Dimmable



OSRAM

PRODUCT DATA

SKU	29743
Brand	OSRAM
Wattage	36W
Base	CFL Base: 2G11 [4 Pins]
Colour Temperature	3000K, Warm White
Lumens	2900 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PL-L

2G11 4 Pins (18W)

Master Compact Fluorescent PL-L 18W 840 2G11 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	5094PH
Brand	PHILIPS
Wattage	18W
Base	CFL Base: 2G11 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	1200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PL-L

2G11 4 Pins (24W)

PL-L 24W 840 2G11 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	50871GE
Brand	GMT*
Wattage	24W
Base	CFL Base: 2G11 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	1620 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets

*any available brand


Fluorescent PLC

G24q-2 4 Pins (18W)

Master Compact Fluorescent PLC 18W 4000K 840 G24q-2 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	6020
Brand	PHILIPS
Wattage	18W
Base	CFL Base: G24q-2 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	1200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PLC

G24q-3 4 Pins (26W)

Master Compact Fluorescent PLC 26W 4000K 840 G24q-3 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	526772
Brand	PHILIPS
Wattage	26W
Base	CFL Base: G24q-3 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	1800 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PLC

G24q-2 4 Pins (18W)

Master Compact Fluorescent PLC 18W 830 G24q-2 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	6021
Brand	PHILIPS
Wattage	18W
Base	CFL Base: G24q-2 [4 Pins]
Colour Temperature	3000K, Warm White
Lumens	1200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PLC

G24q-1 4 Pins (13W)

Master Compact Fluorescent PLC 13W 840 G24q-1 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	532471
Brand	PHILIPS
Wattage	13W
Base	CFL Base: G24q-1 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	900 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PLC

G24d-1 2 Pins(13W)

Dulux D PLC 13W 840 G24d-1 2 Pins



Not Dimmable



OSRAM

PRODUCT DATA

SKU	5057
Brand	OSRAM
Wattage	13W
Base	CFL Base: G24d-1 [2 Pins]
Colour Temperature	4000K, Cool White
Lumens	900 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PLC

G24d-3 2 Pins (26W)

Master Compact Fluorescent PLC 26W 840 G24d-3 2 Pins



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	252000
Brand	PHILIPS
Wattage	26W
Base	CFL Base: G24d-3 [2 Pins]
Colour Temperature	4000K, Cool White
Lumens	1800 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PLC

G24d-2 2 Pins (18W)

Master Compact Fluorescent PLC 18W 840 G24d-2 2 Pins



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	5099PH
Brand	PHILIPS
Wattage	18W
Base	CFL Base: G24d-2 [2 Pins]
Colour Temperature	4000K, Cool White
Lumens	1200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PL-T

GX24q-4 4 Pins (42W)

Dulux T/E Plus Lumilux PL-T 42W 840 GX24q-4 4 Pins



Dimmable



OSRAM

PRODUCT DATA

SKU	425566
Brand	OSRAM
Wattage	42W
Base	CFL Base: GX24q-4 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	3200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer


Fluorescent PL-T

GX24q-3 4 Pins (32W)

Dulux T/E Plus Lumilux PL-T 32W 840 GX24q-3 4 Pins



Dimmable



OSRAM

PRODUCT DATA

SKU	PLTT32840
Brand	OSRAM
Wattage	32W
Base	CFL Base: GX24q-3 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	2400 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


Fluorescent PL-T

GX24q-4 4 Pins (18W)

Dulux T/E Plus Lumilux PL-T 18W 840 GX24q-2 4 Pins



Dimmable



OSRAM

PRODUCT DATA

SKU	5101
Brand	OSRAM
Wattage	18W
Base	CFL Base: GX24q-4 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	1200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


Fluorescent PL-T

GX24q-2 4 Pins (18W)

T/E PL-T Compact Fluorescent Lamp 18W 830 GX24q-2 4 Pins



Not Dimmable



PRODUCT DATA

SKU	510183
Brand	GMT*
Wattage	18W
Base	CFL Base: GX24q-2 [4 Pins]
Colour Temperature	3000K, Warm White
Lumens	1200 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

*any available brand

Fluorescent PL-T

GX24q-5 4 Pins (57W)


Fluorescent PL-S

G23 2 Pins (9W)

Master Compact Fluorescent PL-T Top 57W 840 GX24q-5 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	610409
Brand	PHILIPS
Wattage	57W
Base	CFL Base: GX24q-5 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	4300 Lm
Finish	Opal


Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

Master Compact Fluorescent 9W PL-S 4000K G23 2 Pins



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	86053
Brand	PHILIPS
Wattage	9W
Base	G23, 2 Pins
Colour Temperature	4000K, Cool White
Lumens	600 Lm
Finish	Opal


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets

Fluorescent PL-S

G23 2 Pins (7W)

Dulux S Compact Fluorescent 7W PL-S 840 G23 2 Pins



OSRAM

PRODUCT DATA

SKU	5077GE
Brand	OSRAM
Wattage	7W
Base	G23, 2 Pins
Colour Temperature	4000K, Cool White
Lumens	400 Lm
Finish	Opal


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom

Fluorescent PL-S

2G7 4 Pins (11W)

Dulux S/E Lumilux PL-S 11W 840 2G7 4 Pins



OSRAM

PRODUCT DATA

SKU	1184
Brand	OSRAM
Wattage	11W
Base	2G7 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	900 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets


Fluorescent PL-F

2G10 4 Pins (24W)

Dulux F Lumilux PL-F 24W 840 2G10 4 Pins



Dimmable



OSRAM

PRODUCT DATA

SKU	582437
Brand	OSRAM
Wattage	24W
Base	2G10 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	1700 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom


Fluorescent PL-R

GR14q-1 4 Pins (17W)

Master Compact Fluorescent PL-R 17W 840 GR14q-1 4 Pins



Dimmable



PHILIPS

PRODUCT DATA

SKU	84050
Brand	PHILIPS
Wattage	17W
Base	CFL Base: GR14q-1 [4 Pins]
Colour Temperature	4000K, Cool White
Lumens	1500 Lm
Finish	Opal

Applications:

- ✓ Residential spaces; kitchen, bathroom
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom



It's the name that shines!

CATEGORY OVERVIEW

SPECIALISED



Halogen Dental



Halogen Dental



Halogen Projection



Halogen Display



Medical Halogen
Reflector



Xenon Medical



Medical Halogen Display



Medical Halogen



Incandescent Infrared



It's the name that shines!

CATEGORY OVERVIEW

SPECIALISED



Incandescent QIR



Metal Halide



T12 Phototherapy



UV-A Ultraviolet




Halogen Dental

PG22 Base (30W)

Halogen Slit Lamp 64260 30W 12V PG22



Dimmable



PRODUCT DATA

SKU	H64260
Brand	GMT*
Wattage	30W
Voltage	12V
Base	Dental Lamp Base PG22
Colour Temperature	3000K Warm White
Lumens	800 Lm
Finish	Clear
Life	50 hrs

Applications:

√ Specialised; medical, dental, lamp for special luminaires


*any available brand

SPECIALISED

Dental Halogen Transversal Lamp 50W 22.8V G6.35 860022850T



Dimmable



DR. FISCHER
Europe

PRODUCT DATA

SKU	H122850
Brand	Dr. Fischer
Wattage	50W
Voltage	22.8V
Base	G6.35
Lumens	950 Lm
Finish	Clear
Life	1000 hrs


Applications:

✓ Specialised; medical, dental, surgical

Projection Lamp 14623 95W 17V G6.35



Dimmable



PRODUCT DATA

SKU	14623
Brand	GMT*
Wattage	95W
Voltage	17V
Base	G6.35
Lumens	2150 Lm
Finish	Clear
Life	2000 hrs

Applications:

✓ Specialised; medical projection, dental

*any available brand


Halogen Display

G6.35 Base (80W)

64668 XIR Halogen Display Optic Lamp 80W 22.8V 3250K G6.35



Dimmable



OSRAM

PRODUCT DATA

SKU	64668XIR
Brand	OSRAM
Wattage	80W
Voltage	22.8V
Base	G6.35
CRI	Ra100
Colour Temperature	3250K, Warm White
Lumens	3050 Lm
Finish	Clear
Life	400 hrs

Applications:

√ Specialised; medical, dental, surgical


Halogen Reflector

GX5.3 Base (150W)

Medical Halogen Reflector Lamp EKE/X 58771 150W 21V 3150K GX5.3



Dimmable



PRODUCT DATA

SKU	29466
Brand	GMT*
Wattage	150W
Voltage	21V
Base	GX5.3 2 Pin
Colour Temperature	3250K, Warm White
Finish	Clear
Life	2000 hrs

Applications:


√ Specialised; medical, dental, surgical, purification, healthcare facilities

*any available brand

Medical Lamp

Xenon Short-Arc Lamp

PE300BFA Xenon Ceramic Body Parabolic Lamp 300W



CERMAX

PRODUCT DATA

SKU	5595B
Brand	Cermax
Wattage	300W
Colour Temperature	5900K, Daylight
Lumens	5000 Lm
Finish	Silver
Life	1000 hrs
Operating Temperature	150° C (Maximum)


Applications:

√ Specialised; Medical and industrial fiber optic illuminators, Machine vision, Infrared and visible spotlights/beacons, Spectroscopy, Microscopy, UV Curing, Video projection, Solar simulation, Wafer inspection

Medical Lamp

Xenon Short-Arc Lamp

J2022 Xenon Ceramic Body Parabolic Lamp 300W 14V



CERMAX

PRODUCT DATA

SKU	CL1854
Brand	Cermax
Wattage	300W
Voltage	14V
Lumens	6000 Lm
Finish	Silver
Life	500 hrs


Applications:

√ Specialised; Medical and industrial fiber optic illuminators, Machine vision, Infrared and visible spotlights/beacons, Spectroscopy, Microscopy, UV Curing, Video projection, Solar simulation, Wafer inspection

Medical Lamp

Xenon Short-Arc Lamp

ME300BF Xenon Ceramic Body Parabolic Lamp 300W 14V



CERMAX

PRODUCT DATA

SKU	Y1964
Brand	Cermax
Wattage	300W
Voltage	14V
Lumens	5500 Lm
Finish	Silver
Life	100 hrs


Applications:

√ Specialised; Fiber optic illumination—endoscopic, surgical headlamp, industrial, Microscopy—surgical, fluorescence, Spectroscopy, Photo activation

Medical Lamp

Xenon Short-Arc Lamp

ME400BF Xenon Ceramic Body Parabolic Lamp 400W 14.5V



CERMAX

PRODUCT DATA

SKU	ME400BF
Brand	Cermax
Wattage	400W
Voltage	14.5V
Lumens	7500 Lm
Finish	Silver
Life	100 hrs

Applications:

√ Specialised; Fiber optic illumination—endoscopic, surgical headlamp, industrial, Microscopy—surgical, fluorescence, Spectroscopy, Photo activation



Medical Lamp

Halogen Display PG22 Base

Halogen Display Optic Lamp 64251 HLX-6 20W 6V PG22



Dimmable



OSRAM

PRODUCT DATA

SKU	H64251
Brand	OSRAM
Wattage	20W
Voltage	6V
Base	PG22
Colour Temperature	3350K, Warm White
Lumens	460 Lm
Finish	Clear
Life	100 hrs


Applications:

✓ Specialised; Microscopy, Laboratory & Analysis, Fiber Illumination, Surgical & Dental Overhead

Halogen Slit Lamp

E14 with 9-Hole Ring

00843096 Halogen Lamp 27W 4.5A 6V E14 with 9-Hole Ring



DR. FISCHER
Europe

PRODUCT DATA

SKU	OR1900
Brand	Dr Fischer
Wattage	27W
Voltage	6V
Base	E14 with 9-Hole Ring
Lumens	480 Lm
Finish	Clear
Life	100 hrs


Applications:

✓ Specialised; medical, replacement lamp for Haag-Streit HS900/930 slit lamp

Incandescent Heat Lamp R125 275W E27



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	401120
Brand	Philips
Wattage	275W
Voltage	240V
Base	E27
Finish	Silver
Bulb Temperature	270° C (Maximum)
Special Light Colour	Infrared


Applications:

✓ Residential spaces; farm, bathroom, kitchen

Heat Lamp 300W QIR Double Jacketed 240V R7s 118mm



Not Dimmable



PRODUCT DATA



SKU	10009DJ
Brand	GMT*
Wattage	300W
Voltage	240V
Base	R7s
Colour Temperature	2700K, Warm White
Finish	Clear
Life	3000 hrs
Special Light Colour	Infrared

Applications:

✓ Hospitality spaces; bain-marie, restaurant, hotel

*any available brand

Powerstar HQI-TS Short Arc 2000W D/S 190V K12s



OSRAM


PRODUCT DATA

SKU	HQITS2000
Brand	OSRAM
Wattage	2000W
Voltage	190V
Base	K12s
Colour Temperature	6100K, Daylight
Lumens	210,000 Lm
Finish	Clear

Applications:

✓ Public spaces; floodlight sports grounds, floodlight sports stadiums

Master MHN-LA 2000W/842 400V XWH X528



PHILIPS

PRODUCT DATA

SKU	MHNLA2KW4008
Brand	Philips
Wattage	2000W
Voltage	400V
Base	X528
Colour Temperature	4200K, Cool White
Lumens	195,000 Lm
Finish	Clear

Applications:

✓ Public spaces; floodlight sports grounds, floodlight sports stadiums

Philips Master HPI-T Plus Quartz Metal Halide 400W 198V 645 E40



PHILIPS



PRODUCT DATA

SKU	6302
Brand	Philips
Wattage	400W
Voltage	198V
Base	E40
Colour Temperature	4500K, Cool White
Lumens	32,000 Lm
Finish	Clear


Applications:

- ✓ Public spaces; floodlight sports grounds, floodlight sports stadiums
- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport

Philips Master HPI-T Plus Quartz Metal Halide 250W 198V 645 E40



PHILIPS



PRODUCT DATA

SKU	6303
Brand	Philips
Wattage	250W
Voltage	198V
Base	E40
Colour Temperature	4500K, Cool White
Lumens	19,500 Lm
Finish	Clear

Applications:

- ✓ Public spaces; floodlight sports grounds, floodlight sports stadiums
- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport


Philips HPI-T Quartz Metal Halide Lamp 1000W 220V 543 E40



Not Dimmable



PHILIPS



PRODUCT DATA

SKU	6340
Brand	Philips
Wattage	1000W
Voltage	220V
Base	E40
Colour Temperature	4300K, Cool White
Lumens	82,100 Lm
Finish	Clear


Applications:

- ✓ Public spaces; floodlight sports grounds, floodlight sports stadiums
- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport

MH-TS Metal Halide Flood Lamp 2000W 4500K K12S 84203



Not Dimmable



PRODUCT DATA

SKU	203399
Brand	GMT*
Wattage	2000W
Voltage	220-260V
Base	K12s
Colour Temperature	4500K, Cool White
Lumens	240,000 Lm
Finish	Clear
Beam Angle	360°
Life	8000 hrs

Applications:


- ✓ Public spaces; floodlight sports grounds, floodlight sports stadiums

*any available brand

Master Colour CDM-T Elite 70W 4200K 87V G12



Not Dimmable



PHILIPS

PRODUCT DATA

SKU	7014
Brand	Philips
Wattage	70W
Voltage	87V
Base	G12
Colour Temperature	4200K, Cool White
Lumens	7500 Lm
Finish	Clear


Applications:

- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Retail spaces; shop window, supermarket, grocer, mall, salesroom, toilets

T12 Blue 52 TL Neonatal Jaundice Phototherapy 20W G13 600mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	2052
Brand	Philips
Wattage	20W
Voltage	59V
Base	Tube Base G13
Lumens	318 Lm
Finish	Opal
Lifespan	2000 hrs
Special Light Colour	Colour Code: Blue 52

Applications:


- ✓ Specialised; Agriculture and Neonatal Jaundice Phototherapy

*any available brand

Ultra Vitalux UV Lamp 300W 230V E27



Not Dimmable



OSRAM

PRODUCT DATA

SKU	5138
Brand	OSRAM
Wattage	300W
Voltage	230V
Base	E27
Finish	Reflector
Life	1000 hrs
Special Light Colour	Infrared

Applications:

√ Specialised; Sunlight simulation, Glue curing, Artificial material aging
Exposure of UV-sensitive photoresist coatings, Terrariums, Equine solaria





It's the name that shines!

CATEGORY OVERVIEW

OTHER



LED Cornlight



LED UFO High Bay



LED Floodlight



LED Solar



Linear Halogen



LED Downlight



LED Architectural &
Batten



Halogen
Rangehood JDR



Panel




LED Corn Light

E27 Base

LED Corn Light 27W Frosted 5000K E27



Not Dimmable



PRODUCT DATA

SKU	S3927W025KE27F
Brand	GMT*
Wattage	27W
Voltage	100-240V 50/60Hz
Base	E27
Colour Temperature	5000K, Daylight
Lumens	4050 Lm
Finish	Frost
IP Rating	IP64
Beam Angle	360°


Applications:

- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park


*any available brand

OTHER

LED Corn Light 54W Frosted 5000K E40



LED Corn Light 19W Clear 3000K E27



PRODUCT DATA

SKU	S3954W025KE40
Brand	GMT*
Wattage	54W
Voltage	100-240V 50/60Hz
Base	E40
Colour Temperature	5000K, Daylight
Lumens	8100 Lm
Finish	Frost
IP Rating	IP64
Beam Angle	360°

Applications:

- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

PRODUCT DATA

SKU	S2819W02C
Brand	GMT*
Wattage	19W
Voltage	100-240V 50/60Hz
Base	E27
Colour Temperature	3000K, Warm White
Lumens	2565 Lm
Finish	Clear
IP Rating	IP64
Beam Angle	360°

Applications:


- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

LED Corn Light 12W Frost 4000K E27



Not Dimmable



PRODUCT DATA

SKU	S3912W02
Brand	GMT*
Wattage	12W
Voltage	100-240V 50/60Hz
Base	E27
Colour Temperature	4000K, Cool White
Lumens	1800 Lm
Finish	Frost
IP Rating	IP64
Beam Angle	360°

Applications:


- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

LED Corn Light 15W Clear 3000K E40



Not Dimmable



PRODUCT DATA


SKU	S2815W0
Brand	GMT*
Wattage	15W
Voltage	100-240V 50/60Hz
Base	E40
Colour Temperature	3000K, Warm White
Lumens	2025 Lm
Finish	Clear
IP Rating	IP64
Beam Angle	360°

Applications:

- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

LED Corn Light 15W Frost 3000K E27



PRODUCT DATA


SKU	GKS2815W02F
Brand	GMT*
Wattage	15W
Voltage	100-240V 50/60Hz
Base	E27
Colour Temperature	3000K, Warm White
Lumens	1800 Lm
Finish	Frost
IP Rating	IP64
Beam Angle	360°

Applications:

- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

LED Corn Light 18W Frost 4000K E27



PRODUCT DATA

SKU	S3918W02
Brand	GMT*
Wattage	18W
Voltage	100-240V 50/60Hz
Base	E27
Colour Temperature	4000K, Cool White
Lumens	2700 Lm
Finish	Frost
IP Rating	IP64
Beam Angle	360°

Applications:


- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

Deluxlite LED Corn Light 19W Frost 3000K E27



Not Dimmable



PRODUCT DATA

SKU	GKS2819W02
Brand	GMT*
Wattage	19W
Voltage	100-240V 50/60Hz
Base	E27
Colour Temperature	3000K, Warm White
Lumens	2565 Lm
Finish	Frost
IP Rating	IP64
Beam Angle	360°

Applications:


- √ Industrial spaces; warehouse, production hall, logistic areas, airport
- √ Public spaces; street, roadway, park

*any available brand

LED Corn Light 19W Clear 5000K E27



Not Dimmable



PRODUCT DATA

SKU	S2819W025N
Brand	GMT*
Wattage	19W
Voltage	100-277V 50/60Hz
Base	E27
Colour Temperature	5000K, Natural Light
Lumens	2565 Lm
Finish	Clear
IP Rating	IP64
Beam Angle	360°

Applications:


- √ Industrial spaces; warehouse, production hall, logistic areas, airport
- √ Public spaces; street, roadway, park

*any available brand

Deluxlite LED Corn Light 27W Frost 4000K E27



Not Dimmable



PRODUCT DATA

SKU	S3927W02
Brand	GMT*
Wattage	27W
Voltage	100-240V 50/60Hz
Base	E27
Colour Temperature	4000K, Cool White
Lumens	4050 lm
Finish	Frost
IP Rating	IP64
Beam Angle	360°

Applications:


- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

LED Corn Light 27W Frost 5000K E27



Not Dimmable



PRODUCT DATA

SKU	S3927W025KE27F
Brand	GMT*
Wattage	27W
Voltage	100-240V 50/60Hz
Base	E27
Colour Temperature	5000K, Natural Light
Lumens	4050 lm
Finish	Frost
IP Rating	IP64
Beam Angle	360°

Applications:


- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

Deluxlite LED Corn Light 27W Tri-Colour 3510-3780Lm E27 Frost



Not Dimmable



PRODUCT DATA

SKU	S3927W19
Brand	GMT*
Wattage	27W
Voltage	AC220-240V
Base	E27
Colour Temperature	Tri-Colour 3000K/4000K/5000K
Lumens	3510-3780 Lm
Finish	Frost
Bulb Type	LED Corn Light
Beam Angle	360°

Applications:


- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

LED Corn Light 80W Tri-Colour 10400-11200Lm E40 Frost



Not Dimmable



PRODUCT DATA

SKU	S3980W19
Brand	GMT*
Wattage	80W
Voltage	AC220-240V
Base	E40
Colour Temperature	Tri-Colour 3000K/4000K/5000K
Lumens	10400-11200 Lm
Finish	Frost
Bulb Type	LED Corn Light
Beam Angle	360°

Applications:


- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Public spaces; street, roadway, park

*any available brand

LED UFO Highbay Light 100W IP65 19000Lm 5500K with Built-in Sensor



Dimmable



PRODUCT DATA

SKU	H100WHS
Brand	GMT*
Wattage	100W
Voltage	AC100V-240V~50/60Hz
Colour Temperature	5500K, Daylight
Lumens	19,000 Lm
Finish	Clear
IP Rating	IP65
Beam Angle	120°
Material	AL + Tempered Glass

Applications:


- ✓ Retail spaces; gas stations, big supermarkets
- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Entertainment; stadium

*any available brand

LED UFO Highbay Light-AS 60W IP65 12600Lm 5000K



Dimmable



PRODUCT DATA

SKU	ECO60WAS
Brand	GMT*
Wattage	60W
Voltage	AC85V-265V~50/60HZ
Colour Temperature	5000K, Daylight
Lumens	12,600 Lm
Finish	Clear
IP Rating	IP65
Beam Angle	120°
Material	AL + Tempered Glass

Applications:


- ✓ Retail spaces; gas stations, big supermarkets
- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport
- ✓ Entertainment; stadium

*any available brand

Philips SmartBright LED Motion Sensor Floodlight 2x15W



Not Dimmable



measured in mm



PHILIPS

PRODUCT DATA

SKU	BWS220
Brand	Philips
Wattage	30W (2 x 15W)
Voltage	240V AC
Colour Temperature	4000K, Cool White
Lumens	2000 Lm
Finish	Black/White
IP Rating	IP54
Beam Angle	120°


Applications:

✓ Residential outdoor, bollard, entrance, patio, deck, floodlight, security

Twin Spotlight LED Microwave Sensor Tri Colour 2x15w IP65



Not Dimmable



133 x 150 x 130mm



PRODUCT DATA

SKU	v220ms
Brand	TradeLike
Wattage	30W (2 x 15W)
Voltage	240V AC
Colour Temperature	3000K/4000K/5700k, Cool White
Lumens	3000 Lm
Finish	Black/White
IP Rating	IP65
Beam Angle	120°


Applications:

✓ Residential outdoor, bollard, entrance, patio, deck, floodlight, security

Solar LED Garden Light Halo 8W IP65 3000K Black




Not Dimmable



Solar LED Garden Light Halo 8W IP65 4000K Black



Not Dimmable



PRODUCT DATA

SKU	LDSSL8WTP
Brand	GMT*
Wattage	8W
IP Rating	IP65
Colour Temperature	3000K, Warm White
Lumens	500 Lm
Finish	Black
Beam Angle	360°

Applications:

✓ Residential outdoor, entrance, patio, deck, floodlight

*any available brand

PRODUCT DATA

SKU	LDSSL8WTP4K
Brand	GMT*
Wattage	8W
IP Rating	IP65
Colour Temperature	4000K, Cool White
Lumens	500 Lm
Finish	Black
Beam Angle	360°

Applications:

✓ Residential outdoor, entrance, patio, deck, floodlight

*any available brand

Linear Halogen Hr7 Lamp 60W 230-240V 78mm R7s



Dimmable



PRODUCT DATA

SKU	134147
Brand	GMT*
Wattage	60W
Voltage	230-240V
Base	R7s
Colour Temperature	2900K, Warm White
Lumens	980 Lm
Finish	Clear
Beam Angle	360°

Applications:


- ✓ Residential outdoor, bollard, entrance, patio, deck, floodlight
- ✓ Residential spaces; kitchen, cabinet, bathroom, hallway

*any available brand

Linear Tungsten Halogen Lamp 1500W 240V 254mm R7s



Dimmable



PRODUCT DATA

SKU	H61103
Brand	GMT*
Wattage	1500W
Voltage	240V
Base	R7s
Colour Temperature	2700K, Warm White
Lumens	30,000 Lm
Finish	Clear
Beam Angle	360°

Applications:


- ✓ Residential outdoor, bollard, entrance, patio, deck, floodlight
- ✓ Residential spaces; kitchen, cabinet, bathroom, hallway

*any available brand

7.5W SmartBright LED Downlight Tri-Colour 220-240V Dimmable 90mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	929002531219
Brand	Philips
Wattage	7.5W
Voltage	220-240V
Colour Temperature	Tri-Colour, 3000K/4000K/5000K
Lumens	800 Lm
Finish	White
Beam Angle	100°


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets

9W LED Downlight Tri-Colour 220-240V Dimmable 90mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	ULDL9WACCT
Brand	GMT*
Wattage	9W
Voltage	220-240V
Colour Temperature	Tri-Colour, 3000K/4000K/5000K
Lumens	900 Lm
Finish	White
Beam Angle	110°


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets

Platinum Series Downlight 7W Tri-Colour 240V Dimmable 70mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	20354
Brand	GMT*
Wattage	7W
Voltage	240V
IP Rating	IP44
Colour Temperature	Tri-Colour, 3000K/4000K/5000K
Lumens	600 Lm
Finish	White
Beam Angle	120°


Applications:

- ✓ Residential spaces; dining room, bedroom, kitchen
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets

*any available brand



Dimmable



OSRAM

PRODUCT DATA

SKU	42514774
Brand	OSRAM
Wattage	9.9W (=75W)
Voltage	220-240V
Base	S14s
Colour Temperature	2700K, Warm White
Lumens	1055 Lm
Finish	Opal


Applications:

- ✓ Residential spaces; kitchen, cabinet, bathroom, office

Radium RaLEDina Star Architectural 4.9W 2700K S14d 500mm Dimmable



Dimmable



Radium

PRODUCT DATA

SKU	43714956
Brand	RADIUM
Wattage	4.9W
Voltage	220-240V
Base	S14d
Colour Temperature	2700K, Warm White
Lumens	470 Lm
Finish	Frost


Applications:

✓ Residential spaces; kitchen, cabinet, bathroom, office

Radium RaLEDina Star LED Architectural 4.9W 2700K S14s 500mm Dimmable



Dimmable



Radium

PRODUCT DATA

SKU	43714954
Brand	RADIUM
Wattage	4.9W
Voltage	220-240V
Base	S14s
Colour Temperature	2700K, Warm White
Lumens	470 Lm
Finish	Frost


Applications:

✓ Residential spaces; kitchen, cabinet, bathroom, office

Radium RaLEDina Star LED Architectural 3.1W 2700K S14s 300mm Dimmable



Dimmable



Radium


PRODUCT DATA

SKU	43714953
Brand	RADIUM
Wattage	3.1W (=26W)
Voltage	220-240V
Base	S14s
Colour Temperature	2700K, Warm White
Lumens	275 Lm
Finish	Frost

Applications:

✓ Residential spaces; kitchen, cabinet, bathroom, office

Deluxlite Architectural 5W 3000K S14s 300MM Non-Dimmable



Radium

PRODUCT DATA

SKU	T303005S14S
Brand	RADIUM
Wattage	5W
Voltage	220-240V
Base	S14s
Colour Temperature	3000K, Warm White
Lumens	450 Lm
Finish	Frost


Applications:

✓ Residential spaces; kitchen, cabinet, bathroom, office

Deluxlite Architectural 5W 3000K S14s 300MM



Dimmable



PRODUCT DATA

SKU	0206a1300
Brand	Deluxlite
Wattage	5W
Voltage	230V
Base	S14s
Colour Temperature	3000K, Warm White
Lumens	470 Lm
Finish	Frost


Applications:

✓ Residential spaces; kitchen, cabinet, bathroom, office

Deluxlite Architectural 5W 3000K S14s 500MM



Dimmable



PRODUCT DATA

SKU	0206a1500
Brand	Deluxlite
Wattage	8W
Voltage	230V
Base	S14s
Colour Temperature	3000K, Warm White
Lumens	700 Lm
Finish	Frost


Applications:

✓ Residential spaces; kitchen, cabinet, bathroom, office

Deluxlite Architectural 5W 3000K S14s 1000MM



Dimmable



PRODUCT DATA

SKU	0206a1000
Brand	Deluxlite
Wattage	15W
Voltage	230V
Base	S14s
Colour Temperature	3000K, Warm White
Lumens	1450 Lm
Finish	Frost


Applications:

✓ Residential spaces; kitchen, cabinet, bathroom, office

Philips SmartBright WT071C LED Batten Tri-Colour Dual Power Weatherproof Slim 20W/36W 1207mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	911401802084
Brand	PHILIPS
Wattage	20W/36W
Voltage	220-240V
IP Rating	IP65
Colour Temperature	Tri-Colour 4000K/5000K/6500K
Lumens	2400/4000 Lm
Finish	Opal


Applications:

✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
 ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
 ✓ Industrial spaces; warehouse, production hall, logistic areas, airport

Philips SmartBright WT071C LED Batten Tri-Colour Dual Power Weatherproof Slim 20W/36W 1207mm



Dimmable



PHILIPS

PRODUCT DATA

SKU	911401801484
Brand	PHILIPS
Wattage	21W
Voltage	220-240V
IP Rating	IP20
Colour Temperature	Tri-Colour 4000K/5000K/6500K
Lumens	2000/4100 Lm
Finish	Opal


Applications:

- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets
- ✓ Industrial spaces; warehouse, production hall, logistic areas, airport

Rangehood JDR Halogen Light 50W 220-240V 2700K E14



Dimmable



PRODUCT DATA


SKU	H1423050
Brand	GMT*
Wattage	50W
Voltage	220-240V
Base	E14
Colour Temperature	2700K, Warm White
Lumens	1000 Lm
Finish	Clear
Beam Angle	38°

Applications:

- ✓ Specialised; rangehood

*any available brand

Philip SmartBright LED Tri-Colour Direct-Lit Panel 25.5W 220-240V 3100Lm 1195x295mm



PHILIPS



PRODUCT DATA

SKU	RC170BG231P3012_box
Brand	Philips
Wattage	25.5W
Voltage	220-240V
Bulb Type	Led Panel
Colour Temperature	Tri-Colour 4000K/5000K/6500K
Lumens	3100 Lm
Finish	White
Beam Angle	110°

Applications:

- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets

LED Slim Panel Light 22W 220-240V 5000K 2860Lm 595x595MM



PRODUCT DATA


SKU	ULPL606022W_box
Brand	GMT*
Wattage	22W
Voltage	220-240V
Bulb Type	Led Panel
Colour Temperature	5000K, Natural Light
Lumens	2860 Lm
Finish	White
Beam Angle	120°

Applications:

- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets

*any available brand

LED Slim Panel Light 22W 220-240V 5000K 2860Lm 300x1200MM



PRODUCT DATA

SKU	ULPL3012022W_box
Brand	GMT*
Wattage	22W
Voltage	220-240V
Bulb Type	Led Panel
Colour Temperature	5000K, Natural Light
Lumens	2860 Lm
Finish	White
Beam Angle	120°

Applications:

- ✓ Hospitality spaces; restaurant, hotel, conference room, lobby, corridor, toilets
- ✓ Retail spaces; supermarket, grocer, mall, salesroom, toilets
- ✓ Office spaces; office, university, school, garage, conference room, corridor, foyer, toilets

*any available brand





LIGHTING

It's the name that shines!

ESTABLISHED SINCE 1962

**LIGHT
ONLINE**
.COM.AU



1-7 Thomas Street, Hawthorn, VIC 3122 Australia

Ph: (03) 9819 1777 | sales@gmtlighting.com.au

www.gmtlighting.com.au